No. 120

31 October 1947

Military Government

Weekly Health Report



OFFICE OF MILITARY GOVERNMENT FOR GERMANY (US)
INTERNAL AFFAIRS AND COMMUNICATIONS DIVISION
PUBLIC HEALTH BRANCH

Millany Government

Weekly Health Report

DEFICE OF MILITARY GOVERNMENT FOR GERMANY (US)
INTERNAL AREA SOVERNMENT COMMUNICATIONS DIVISION
STOLES LEADING BEASIER

No. 120

31 October 1947

U.S. Occupied Area of Germany:

In the following Appendices "A", "B", and "C" are summaries of communicable disease cases and deaths by Regierungsbezirk and Land, and case rates by Regierungsbezirk and Land for the week ended 11 October 1947.

Communicable Diseases:

Again diphtheria continues the upward seasonal trend with an increase of more than 100 cases over the previous week. However, the incidence is approximately 20 percent below that of the corresponding week of 1946. Scarlet fever continues the increase of the past two months with 319 cases as compared with 186 cases reported during the second week of October 1946. Poliomyelitis increased during the current week from 98 to 117 cases with most of the increase occurring in the US Sector of Berlin. However, there has been a decrease in the incidence of poliomyelitis in the city of Berlin as a whole during the past three weeks. The epidemic which began during the latter part of July, reaching its peak in the third week of September, is now on the decline.

Whooping cough and typhoid and paratyphoid fevers remain approximately the same as during the previous week. While gonorrhea also remains the same, syphilis has decreased but by no more than the fluctuations of previous weeks. Infectious dysentery, infectious hepatitis and measles have all decreased in incidence.

APPENDIX "A"

Communicable Disease Report U.S. Occupied Area of Germany for Week ending 11 October 1947

1														1
Deaths	Measles	145	288	37	27	17	11	00	14	-	w 1	10	11	+1
	ezuənljul	94	- 1	52	11	9 1	31	11	1.1	11	11	11	41	+1
d.	BinalaM	10	m	07	11	11	11	11	111	- 1	11	11	2 1	2
Cases	Rabies	11	11	11	11	11	11	il	11	11	11	11	11	11
10	Encephalitis epid.	67	11	03	11	11	11	11	111	11	11	11	11	11
	Scabies	2115	168	433	452	88	428	148	25	57	207	44	64	+1
SES	esibnus suoitseinl	862	-1	56	1 2	21	12	4	10	25	11	41	101	11
SEASE	Undulant Fever	11	1	11	11	1.1	11	IA	11	11	11	13	11	11
	Bact. Food Poisoning	11.	11	11	11	11	11	11	11	11	11	11	11	11
ABLE	Dysentery infectious	46	4-	2.1	co		00	11	4 1	9	27	11	71	10
N	Paratyphoid	117	21	19	14	10	00	11	13	2	17	1-1	w 1	11
ME	Typhoid Fever	161	1 2	21	2 2	322	12	6	co −	9 1	28	19	21	9
COMMUNICABLE	Syphilis	872	31	99	75	26	108	20	133	42	69	62	109	89
from	Gonorrhea	2014	1 64	245	169	06	358	68	291	64	177	179	164	124
10	Poliomyelitis	1172	- 1	- 1	en –	eo	10	20	0001	20	1 2		9 1	72
EATH	Meningitis	ro co	11	11	11	11			- 1	11	11	11	11	11
	Whooping Cough	183	19	56	25	00	25	60	m	19	00.1	12	10	+1
and	Tuberculosis other	155	15	1-1	9 1	21	4	16	13	01	00	15	00	24
ASES	Tuberculosis Lung	842	28	99	66	77	116	23	83	17	64	81	22	101
W CA	Scarlet Fever	319	25	48	14	∞	43	10	28	88	81	67	20	21
of New	Diphtheria	853	39	97	82	30	121	09	38	101	201	121	26	38
	Plague	11	111	11	11	11	11	111	111	11	11	11	11	
Number	Cholera	11	11	11	11	11	11	11	11	11	11		11	11
-	Relapsing Fever	11	11	11	11	11	11	1.1	11	11	11	11	11	11
Reported	Anthrax	11	11	11	11	11		11	11		11	11	11.	11
Sepo	xoqllsm2	11	11	11	11	11	11	11	11	11	11	11	11	11
	Typhus Fever	11	11	11	11	11	11	111	11	11	did	IN	11	11
	Cases, Deaths	סט	00	00	00	00	90	00	00	00	00	00	00	00
	and made arom of	300	300	200	002	100	300	006	900	300	000	100	500	300
	Popu- lation a)	18,664,300	1,041,200	2,380,500	2,066,700	1,254,400	2,487,600	1,272,900	1,602,600	1,308,800	1,422,000	2,321,100	504,200	1,002,300
-		-	1,	12		1,	5,	1,	1,	F	F		ATTEN .	Ť,
	Regierungs- bezirk	TOTAL US	ken	ken	yern	-	ern	1	u	+		perg		or)
	irk	NL L	fran	- an	berba	abe	baye	_	pade	stad	-	Hen	en	ecte
	Regier	TOTAL US	Unterfranken	Ober- and Mittelfranken	Niederbayern and Oberpfalz	Schwaben	Oberbayern	Kassel	Wiesbaden	Darmstadt	Baden	Wuerffemberg	Bremen	Berlin (US Sector)

a) Official population estimate established by Civil Administration Division, OMGUS, as of 1 October 1947. + Indicates no data submitted. - Indicates no cases reported.

APPENDIX "B" Communicable Disease Report (by Land) U.S. Occupied Area of Germany for Week ending 11 October 1947

	CHECK VICE I			0	-	- 1	-	-		JOY C	0	10	A T1 16			IMM	INIT	I I O V	-	FAS					19	1
				Kep	Keported	- 1	Number	ō	New	CASES and	S an	d DE	DEATHS	trom		COMMONICABLE	725	ABL		DISEASES		0:	Cases	0:	Dearns	0
	1004,300		- 1 -	1		16	×			bun	her	чбп	S	100	- 50			0		J	əəib	bi	:DII			
the said	-ndod	salts	.ue		i	Fevo	7		Yer		o sis	Co	nooc			BVE	p		F	eve=	uner	də si	da ei			-
	lation		Bor				-	sins	e-I	ryn	solu			yeli	s		iodo		6u	ţu	-1-5			-	8Z	se
19			əs sny						əlı		erc		uin		-		lyte			slub					uən	Iss
	Die Sing	Cas	Lou	ms	InA	CP' Kel	Pla		Sca		duT		Me		dis	-	Par	Dys	Bac	nun		Sca	Rab	ΒM	ılłul	Me
Total US	18 664 300	U	1	T	-	1	1	853	319	842	155	183	3 1	1172014	14 872	2 161	117	46	1	1	86 21	2115	2	- 10	94	145
OccupiedArea	20,002,000	P	1	1	1	1	1	20	-	164	14	1		12 -	1	6 1	1	က	-	1	1	1	1	1	1	1
	0 990 400	U	1	-	1	1	1	389	138	386	62	133	-	18 95	926 339	00	3 72	23	1	1	43 15	570	2	20	90	114
	0,400,400	9	1	1	1	1	1	00	1	74	1	-		ا ش	-	1 6	1	7	1	1	1	1	1	1	1	1
and an	A 194 900	O	1	1	1	1	1	209	92	123	38	25	21	18 44	444 225	5 18	3 18	10	1	1	34 2	230 -	1	-	1	23
	4,104,000	0	1	1	1	1	1	10	quel	30	4	1	-	01	1	-	-	1	1	1	1	1	1	1	1	1
Wuerffemberg-		U	1	1	1	1	1	191	29	145	23	20	1	3	356 13	1 47	24	2	1	1	4	251 -	1	1	1	80
	0,145,100	Р	1	1	1	1	1	10	1	22	හ	-1	1		1	2	1	-	1	1	-	1	-	1	1	1
Department	KOA 900	U	1	1	1		1	26	20	87	00	20	1	6 16	164 109	9	60	1	1	T	20	- 79		2	4	1
	00±,±00	Р	-	1	1	1	1	1	1	က	1	1	1	-	-	1	1	1	1	1	1	1	-	-	1	1
	1 009 900	O	1	1	1		1	38	21	101	24	+	1	72 15	124 68	8	1	10	1	1	1	+		2	+	+
(US Sector)	1,002,000	Р	-	1	T	1	1	2	1	35	1	1	1	9	-	-	1	1	1	1	-	-	-	1	_	-
						0000		Patoe F.	Francosco	. 70		nor 10 000		Popul	lo éio n	200	Ann									
						(00)			xpi ca	sed da		5		ndo L	ropulation per Annum	bei	Sunt.	Ш								

			-			1																							
Total US OccupiedArea	18,664,300							- 25	80.00	3.9	3.5	4.3	5.1	23.8 8.9 23.5 4.3 5.1 0.1 3.3 56.1 24.3 4.5 3.3 1.3	33	56.1	24.3	4.5	ය ය	1.3	1	1	2.4		0.1		0.3	2.6	4.0
Bavaria	9,230,400	in the	1	1	Heli	The state of	1	22	9.1	8.	7.12	3.5	7.5	21.9 7.8 21.7 3.5 7.5 0.1 1.0 52.2 19.1 5.0 4.1 1.3	1.0	52.5	19.1	5.0	4.1	1.3	1		2.4	- 2.4 88.5 0.1	0.1	L	0.3	5.1	0.3 5.1 6.4
Hesse	4,184,300	971-1	Nation of Street	as a	11 11			- 26	6.0	9.4	٠ 6	4.7	3.1	26.0 9.4 15.3 4.7 3.1 0.2 2.2 55.2 28.0 2.2 2.2 1.2	2.2	55.2	28.0	2.2	2.2	1.2	1	-	4.2	- 4.2 28.6	1	-1	0.1	1	2.9
Wuertfemberg- Baden	3,743,100	- 101		1	L How			- 26	6.5	0.1	20.1	3.5	2.8	26.511.0 20.1 3.2 2.8 — 0.4 49.5 18.2 6.5 3.3 0.3	0.4	49.5	18.2	6.5	3.3	0.3			9.0	- 0.6 34.9	1	1	-	1	1.1
Bremen	504,200			1			1	2	8.8	5.2	39.7	8.3	- 26.8 5.2 89.7 8.3 5.2	— 6.2 t69.1 112.4 2.1 3.1 1.0	6.5	169.1	112.4	2.1	3.1	1.0		1	5.2	5.2 66.0	1	1	2.1	4.1	1
Berlin (US Sector)	1,002,300			-	1			1	9.7 10	9.0	52.4	2.5	+	19.710.9 52.412.5 + - 37.4 64.3 35.3 3.1 - 5.2	37.4	64.3	35.3	3,1	1	5.2	1		I	+	1	1	1.0	+	- 1.0 + +

a) Official population estimate established by Civil Administration Division, OMGUS, as of 1 October 1947. + Indicates no data submitted. - Indicates no cases reported. 0.0 Indicates rates between 0 and 0.05.


APPENDIX "C"

Communicable Disease Rates U.S. Occupied Area of Germany for Week ending 4 October 1947

			-								-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Regierungs- Bezirk	Popu- lation a)	Typhus Fever Louse Borne	xoqllsm2	Anthrax	Relapsing Fever	Cholera	Plague	Diphtheria	Scarlet Fever	Tuberculosis Lung & Larynx	Tuberculosis other	Whooping Cough	Meningitis Meningococcus	Poliomyelitis	Gonorrhea	Syphilis	Typhoid Fever	Paratyphoid	Dysentery infectious	Bact. Food Poisoning	Undulant Fever Infectious	Spinuse	Scabies	Encephalifis Epidemic	Rabies	lufluenza		Measles
Total US OccupiedArea	18,664,300			1				23.8	8.9	23.5	6.4	5.1	0.1	3.3	56.1 2	24.3	6.7	3.3	1.3		2	2.4 58	58.9 0.1		- 0.3	3 2.6	9 4.0	0
Unterfranken	1,041,200	1		1		-	1	19.5	12.5	14.0	7.5	9.5	1	0.5	32.0 1	15.5	2.5 1	10.5	2.0	1	0	0.5	83.9	1	1-	.5 0.5	1	14.0
Ober- and Mittelfranken	2,380,500	-	-		11	1	1	21.2	10.5	21.6	1.5	12.2	1	0.2	53.5	21.6	4.6	4.2	1.5		10	-	94.6	0.4	- 0.4	11.4	00	==
Niederbayern and Oberpfalz	2,066,700	-1	1	119	1	1		20.6	3.5	16.6	10.	6.3	I	0.8	42.5	18.9	10.	3.5	8.0		0	0.5 113	3.7		1	1	9	8.9
Schwaben	1,254,400	T	-1			1	1	20.7	33	31.9	5.7	33	1	1.2 37	ಟ	10.8 1	13.3	4.1	0.4		0	98 36	36.9			2.5	1	4.6
Oberbayern	2,487,600	-1		1.	1			25.3	0.6	24.2	2.7	5.2	0.2	2.1 7	74.8	22.6	2.5	1.7	1.7		21	2.5 89	89.5	1	1	- 6.5	1	2.3
Kassel	1,272,900	I	1				1	20.4	4.1	9.4	6.5	1.2	0.4	2.0 3	36.4 2	20.4	3.7	1	1		1	1.6 60	60.5		1		(C)	3.7
Wiesbaden	1,602,600	. 1	1	1	1	-	I	18.8	9.1	26.9	4.5	1.0	0.3	2.6 9.	94.4	43.2	1.0	4.2	1.3		1	1.6	8.1	1	1		4	4.5
Darmsfadt	1,308,800	d	The	Ship		1	de	40.1	15.1	6.8	3.6	7.5	1	2.0 2	25.4	16.7	2.4	2.0	2.4		1	10.0	22.6		0.4	1		
Baden	1,422,000	al g		II P	1	Dajul.	-	25.6	11.0	23.4	6:1	2.9	1	0.7 6	64.7 2	25.2	10.2	6.2	0.7			1	75.7				-	1.1
Wuerffemberg	2,321,100		1	1	1	II-	1	27.1	11.0	18.1	3,4	2.7	1	0.2 4	40.1	13.9	4.3	1.6	1		0	6.0	6.6	-			-	1:1
Bremen	504,200	-	1	1	1	-	1	26.8	5.2	2.68	8,33	5.2	1	6.2 16	169.1	112.4	2.1	3,1	1.0	T	10	5.2 66	0.99	1	- 2.1	1 4.1	-	1
Berlin (US Sector)	1,002,300	1				-1		19.7	10.9	52.4	12.5	+	9	37.4 6	64.3 3	35.3	3.1	1	5.2				+		- 1.0	+	1	+
														-													ı	

a) Official population estimate established by Civil Administration Division, OMGUS, as of 1 October 1947.

⁻ Indicates no data submitted. - Indicates no cases reported. 0.0 Indicates rates between 0 and 0.05. (Rates Expressed as per 10,000 Population per Annum.)







4159 / 175 / 8 / 11 / 47